


MOTTO[®]

Tiles & Bathware



VELVET
SERIES




200x200mm

VELVET SERIES

Introducing the Velvet Series where art meets tradition. Each 200x200 mm tile unveils intricate designs inspired by India's rich cultural heritage, transforming spaces into vibrant canvases. Available in five beautiful colours and five unique patterns, Velvet offers both Digimatt finish and a glossy granula texture, creating a play of depth and light. It's more than a tile as it's a celebration of Indian artistry, crafted to bring elegance and cultural soul into modern interiors.

Spectacular Detailed Design Vibe





Available Size
200x200mm

Finish
Digimatt

Texture
Glossy Granula

Sublime Texture that Amaze

Velvet Series enchants with its dual charm a Digimatt finish offering a soft, refined elegance, and a glossy granula texture that adds shimmering depth and tactile intrigue. Together, they create surfaces that feel luxurious to touch and captivating to the eye, elevating any space beautifully.

Incredible Features

Our tiles are crafted for unmatched durability and performance. Boasting high load and frost resistance, they endure harsh conditions without compromising their beauty.

The easy installation process saves time, while the anti-slip finish enhances safety, making them ideal for any space. Experience the perfect blend of elegance and functionality with us.



Frost Resistance



High Load Resistance



Thermal Impact



Anti-slip Finish



Removable & Reuse



Easy to Install



Chemical Resistance



Ecological Finish



Fire Proof

Application Areas

Ideal for both walls and floors, our tiles enhance any space with their stunning designs. Create a seamless blend of beauty and practicality in residential and commercial settings.



Wall



Floor



SMALLTILE




**VELVET CLAY
DECOR 1**

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY 



VELVET CLAY DECOR 1



SMALLTILE



**VELVET CLAY
DECOR 2**

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





VELVET CLAY DECOR 2



SMALLTILE



**VELVET CLAY
DECOR 3**


Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





VELVET CLAY DECOR 3



SMALLTILE



**VELVET CLAY
DECOR 4**

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY



VELVET CLAY DECOR 4



SMALLTILE



**VELVET GRIS
DECOR 1**

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY 



VELVET GRIS DECOR 1



SMALLTILE



**VELVET GRIS
DECOR 2**

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY 





SMALLTILE



**VELVET GRIS
DECOR 3**

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY 





SMALLTILE



**VELVET GRIS
DECOR 4**

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY






VELVET GRIS DECOR 4



SMALLTILE



**VELVET PERLA
DECOR 1**

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY 



VELVET PERLA DECOR 1



SMALLTILE



VELVET PERLA DECOR 2

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology


MINIMUM 3MM
SPACER MANDATORY 



VELVET PERLA DECOR 2



SMALLTILE



**VELVET PERLA
DECOR 3**

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY 



VELVET PERLA DECOR 3



SMALLTILE



**VELVET PERLA
DECOR 4**

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY 



VELVET PERLA DECOR 4



SMALLTILE



VELVET TAUPE DECOR 1

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





VELVET TAUPE DECOR 1



SMALLTILE



**VELVET TAUPE
DECOR 2**

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY






VELVET TAUPE DECOR 2



SMALLTILE



**VELVET TAUPE
DECOR 3**

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY 



VELVET TAUPE DECOR 3



SMALLTILE



VELVET TAUPE DECOR 4

Size:
200x200mm

Finish:
Digimatt

Texture:
Glossy Granula



Laying Pattern



Italian Technology

MINIMUM 3MM
SPACER MANDATORY





VELVET TAUPE DECOR 4

CLEANING & MAINTENANCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO 13006:2018 En14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	METHOD OF TESTING	MAIN VALUE OF MOTTO
*Un-Rectified (Which is Lower)				
Regulatory Properties				
Deviation in Length and Width	±0.60% (±2.0%)	±0.40%	ISO 10545-2/IS 13630-1	±0.40%
Deviation in Thickness	±5.0% (±0.50%)	±5.0%	ISO 10545-2/IS 13630-1	±5.0%
Straightness in Side	±0.50% (±1.5%)	±0.30%	ISO 10545-2/IS 13630-1	±0.30%
Rectangularity	±0.50% (±2.0%)	±0.30%	ISO 10545-2/IS 13630-1	±0.30%
Surface Flatness Central Curvature	±0.50% (±2.0%)	±0.50%	ISO 10545-2/IS 13630-1	±0.40%
Surface Flatness Edge Curvature	±0.50% (±2.0%)	±0.50%	ISO 10545-2/IS 13630-1	±0.40%
Surface Flatness Warpage	±0.50% (±2.0%)	±0.50%	ISO 10545-2/IS 13630-1	±0.40%
Surface Quality	>95% defect free	>95% defect free	ISO 10545-2/IS 13630-1	>95% defect free
Small Colour Difference (for Plain Colour)	ΔE<1.0	N.A.	ISO 10545-16	ΔE<0.30
Structural Properties				
Water Absorption	Ev≤0.50% Individual Max:0.6%	Ev≤0.08% Individual Max:0.1%	ISO 10545-3/IS 13630-2	Ev≤0.08% Individual Max:0.1%
Bulk Density	As per Manufacturer	Min. 2.20 gm/cc	ISO 10545-3/IS 13630-2	>2.28 gm/cc
Massive Mechanical Properties				
Modulus of Rupture	Min 35.0N/mm ² , Individual 32n/mm ² Min	Average 35.0 N/mm ² , Individual 32 N/mm ² Min	ISO 10545-4/IS 13630-6	Min. 40.0 N/mrn2
Breaking Strength Thickness ≥7.5mm	Min. 1300.00N	Min. 1300.0N	ISO 10545-4/IS 13630-6	Min. 1500.0N
Surface Mechanical Properties				
MOH'S Hardness #	As per Manufacturer	Min. 5	BS EN 1577/IS 13630-13	Min. 5
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	ISO 10545-7/IS 13630-11	Min. Class II
Thermal Hygrometric Properties				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02mm/m	ISO 10545-10/IS 13630-3	Nil
Thermal Expansion (COE) at 100 °C	As per Manufacturer	Max. 6x10 ⁻⁶ k	ISO 10545-8/IS 13630-4	Max. 6.0x10 ⁻⁶
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9/IS 13630-5	Min. 10 Cycle
Impact Resistance (COR) #	As per Manufacturer	Min. 055	ISO 10545-5/IS 13630-14	Min. 055
Frost Resistance	As per Manufacturer	As per Manufacturer	ISO 10545-12/IS 13630-10	Frost Proof
Crazing Resistance at 7.5 bar	As per Manufacturer	4 Cycle	ISO 10545-11/IS 13630-9	6 Cycle
Chemical Properties				
Resistance to Staining Glazed	Min. Class 3	Min. Class 1	ISO 10545-14/IS 13630-7	Min. Class 4/Min. Class 1
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min. Class GB	Min. Class AA	ISO 10545-13/IS 13630-8	Min. Class GB/Min Class AA
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	ISO 10545-13/IS 13630-8	Min. Class GLB***/ Min. Class A***
Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	ISO 10545-13/IS 13630-8	Min. Class GHB***/ Min. Class B***
Safety Properties				
Skid Resistance (DCOF-WET PENDULUM) ##	As per Manufacturer	As per Manufacturer	BS 7976-2	Stain /Mat ≥P1
Lead and Cadmium Release	As per Manufacturer	NA	ISO-10545-15	Dose not yield Pb & Cd

**Whichever is lower


***Except Hydrofluoric Acid and its compound

#Tiles intended for use on floor

##For Floor Tiles, as per customer requirement

PACKING DETAILS

SIZE	ACTUAL SIZE	TILES/BOX	COVERAGE AREA/BOX
20x20cm	200x200mm	24 pcs.	0.96 m ² 10.33 ft ²



MOTTO GROUP

8-A N. H., Sartanpar Road, At. Sartanpar, Ta. Wankaner, Morbi - 363 621, Gujarat, India.

Email: info@mottogroup.in | www.mottogroup.in

Toll Free Number: 1800 123 2124 / +91 95123 80072